Regional Anesthesia and Pain Medicine 30(6): 600–607, 2005

Subject Index: Volume 30, 2005

Abstracts, from American Society of Regional Anesthesia and Pain Medicine Annual Meeting, 583
Acetaminophen, for postoperative analgesia in elderly patients, 363
Actinetobacter infection, epidural, 577
Acupuncture points, for femoral nerve localization, 473
Acute pain management, impact of technology on, 286
Adequacy, of spinal hyperbaric ropivacaine-fentanyl for day surgery, 48
Adjuvant agents, for eye surgery, 72
Amitriptyline, *N*-propyl addition effect on sensory selectivity, 344
Analgesia. *See also* Patient-controlled analgesia; Postoperative analgesia
  extended-duration, 275
  stress-induced, naloxone effects on hemorrhagic shock, 339
Analgesic gap, technology impact on, 286
Anesthesiologist performance, *vs.* resident, double-stimulation technique for intraclavicular brachial plexus block, 233
Anesthetic technique. *See also specific anesthetics*
  with lowest incidence of vomiting after pediatric strabismus surgery, 43
  proximal *vs.* distal radial motor responses in axillary block using triple stimulation, 458
  single-needle *vs.* multiple-needle for facet-joint medial branch block, 484
  subdural anesthesia as complications of epidural catheter placement, 299
Animal models
  differential block of amitriptyline and doxepine derivatives for sciatic nerve, 344
  intraneural injection and high-injection pressure, fascicular injury and neurologic deficits, 308(letter), 309(letter)
  lidocaine neurotoxicity *vs.* intrathecal bupivacaine in, 464
  meloxicam reduction of tactile allodynia development after spinal nerve injury, 351
  peripheral block of I_h reduces mechanical allodynia, 243
Anisotropy, transducer angle and ultrasound visibility of femoral nerve, 505(letter)
Ankle and foot block, 17
Arthroplasty. *See also* Total-hip arthroplasty; Total-knee arthroplasty
  shoulder, joint range of motion after, 429
Arthroscopy
  knee, inter-articular morphine efficacy after, 83
  rotator cuff, subacromial *vs.* interscalene continuous ropivacaine infusion for, 117
Axillary brachial plexus block
  comparison of nerve stimulation techniques, 324
  duration, addition of methylprednisolone and, 114(letter)
  musculocutaneous nerve ultrasound appearance for, 385
  radial nerve localization for, 458
  unilateral tremor after, 308(letter)
  unintentional neuromuscular blocking agent injection, 104
Axonal degeneration, from intrathecal bupivacaine *vs.* lidocaine, 464

Bacterial meningitis, ten days after spinal anesthesia, 210(letter)
Battlefield anesthesia, continuous peripheral nerve block for, 202
Beneficial pain control, acute pain management and, 286
Bernards, Christopher M., as John J. Bonica Award recipient, 55
Bicarbonate, choice and dosing for lower-extremity peripheral nerve blocks, 21
Bier block, with steroid for CRPS, 409(letter), 410(letter)
Book reviews
  Peripheral Nerve Blocks on DVD: Upper Limbs DVD (Delbos et. al.), 581
  Regional Anesthesia: The Requisites in Anesthesiology (Rathmell, Neal and Viscomi), 580
Brachial plexus block. *See also* Axillary brachial plexus block
  interscalene
    joint range of motion after total shoulder arthroplasty, 429
    persistent hiccups after, 574
  intersternocleidomastoid, correct needle direction for, 595(letter)
  posterior approach
    clinical efficacy of, 238, 590(letter), 591(letter)
    complications with, 594(letter)
  vertical infraclavicular, effects on hemidiaphragmatic movement and ventilatory function, 529
Bupivacaine
  with fentanyl, *vs.* ropivacaine for PCEA, 446
  subtenon, in pediatric strabismus surgery, 478

Caruncular anesthesia, *vs.* double-injection peribulbar anesthesia, 255
Cataract surgery, caruncular anesthesia *vs.* double-injection peribulbar anesthesia, 255
Celiac plexus block, modified transcrural approach, 303
Cerebrospinal fluid leak, from disconnected intrathecal catheter adapter, 591(letter)
Cervical spine periradicular injections, ultrasound guidance for, 391
Chemotherapy, epidural analgesia neuraxial block-associated hypotension and, 313(letter)
Children
  infraorbital nerve block for transphenoidal hypophysectomy, 572

Regional Anesthesia and Pain Medicine 30(6): 600–607, 2005

Subject Index: Volume 30, 2005

Abstracts, from American Society of Regional Anesthesia and Pain Medicine Annual Meeting, 583
Acetaminophen, for postoperative analgesia in elderly patients, 363
Actinetobacter infection, epidural, 577
Acupuncture points, for femoral nerve localization, 473
Acute pain management, impact of technology on, 286
Adequacy, of spinal hyperbaric ropivacaine-fentanyl for day surgery, 48
Adjuvant agents, for eye surgery, 72
Amitriptyline, *N*-propyl addition effect on sensory selectivity, 344
Analgesia. *See also* Patient-controlled analgesia; Postoperative analgesia
  extended-duration, 275
  stress-induced, naloxone effects on hemorrhagic shock, 339
Analgesic gap, technology impact on, 286
Anesthesiologist performance, *vs.* resident, double-stimulation technique for intraclavicular brachial plexus block, 233
Anesthetic technique. *See also specific anesthetics*
  with lowest incidence of vomiting after pediatric strabismus surgery, 43
  proximal *vs.* distal radial motor responses in axillary block using triple stimulation, 458
  single-needle *vs.* multiple-needle for facet-joint medial branch block, 484
  subdural anesthesia as complications of epidural catheter placement, 299
Animal models
  differential block of amitriptyline and doxepine derivatives for sciatic nerve, 344
  intraneural injection and high-injection pressure, fascicular injury and neurologic deficits, 308(letter), 309(letter)
  lidocaine neurotoxicity *vs.* intrathecal bupivacaine in, 464
  meloxicam reduction of tactile allodynia development after spinal nerve injury, 351
  peripheral block of I_h reduces mechanical allodynia, 243
Anisotropy, transducer angle and ultrasound visibility of femoral nerve, 505(letter)
Ankle and foot block, 17
Arthroplasty. *See also* Total-hip arthroplasty; Total-knee arthroplasty
  shoulder, joint range of motion after, 429
Arthroscopy
  knee, inter-articular morphine efficacy after, 83
  rotator cuff, subacromial *vs.* interscalene continuous ropivacaine infusion for, 117
Axillary brachial plexus block
  comparison of nerve stimulation techniques, 324
  duration, addition of methylprednisolone and, 114(letter)
  musculocutaneous nerve ultrasound appearance for, 385
  radial nerve localization for, 458
  unilateral tremor after, 308(letter)
  unintentional neuromuscular blocking agent injection, 104
Axonal degeneration, from intrathecal bupivacaine *vs.* lidocaine, 464

Bacterial meningitis, ten days after spinal anesthesia, 210(letter)
Battlefield anesthesia, continuous peripheral nerve block for, 202
Beneficial pain control, acute pain management and, 286
Bernards, Christopher M., as John J. Bonica Award recipient, 55
Bicarbonate, choice and dosing for lower-extremity peripheral nerve blocks, 21
Bier block, with steroid for CRPS, 409(letter), 410(letter)
Book reviews
  Peripheral Nerve Blocks on DVD: Upper Limbs DVD (Delbos et. al.), 581
  Regional Anesthesia: The Requisites in Anesthesiology (Rathmell, Neal and Viscomi), 580
Brachial plexus block. *See also* Axillary brachial plexus block
  interscalene
    joint range of motion after total shoulder arthroplasty, 429
    persistent hiccups after, 574
  intersternocleidomastoid, correct needle direction for, 595(letter)
  posterior approach
    clinical efficacy of, 238, 590(letter), 591(letter)
    complications with, 594(letter)
  vertical infraclavicular, effects on hemidiaphragmatic movement and ventilatory function, 529
Bupivacaine
  with fentanyl, *vs.* ropivacaine for PCEA, 446
  subtenon, in pediatric strabismus surgery, 478

Caruncular anesthesia, *vs.* double-injection peribulbar anesthesia, 255
Cataract surgery, caruncular anesthesia *vs.* double-injection peribulbar anesthesia, 255
Celiac plexus block, modified transcrural approach, 303
Cerebrospinal fluid leak, from disconnected intrathecal catheter adapter, 591(letter)
Cervical spine periradicular injections, ultrasound guidance for, 391
Chemotherapy, epidural analgesia neuraxial block-associated hypotension and, 313(letter)
Children
  infraorbital nerve block for transphenoidal hypophysectomy, 572

strabismus surgery
decreased postoperative emesis incidence with fentanyl-propofol, 43
subtenon anesthesia in, 478
2-Chloroprocaine, minimum effective dose for spinal anesthesia, 36
Clonidine, choice and dosing for lower-extremity peripheral nerve blocks, 21
Cognitive function, early recovery after total-hip replacement under hypotensive epidural anesthesia, 123
Colonic surgery, continuous epidural analgesia for, 140
Combat anesthesia, continuous peripheral nerve block for, 202
Combined spinal-epidural anesthesia, epidural catheter entrapment caused by double knot, 588(letter)
Complex regional-pain syndrome, Bier block with steroid for, 409(letter), 410(letter)
Complications
accidental dural puncture from intrathecal catheter adapter disconnection, 591(letter)
bacterial meningitis ten days after spinal anesthesia, 210(letter)
femoral block, 413(letter)
ischemic hand extravasation caused by vasopressors, 405
lower-extremity peripheral nerve blocks, 21
lumbar plexus block, 150
persistent hiccups after interscalene brachial plexus block, 574
posterior brachial plexus block, 595(letter)
psoas compartment block, 413(letter)
subdural anesthesia from epidural catheter placement, 299
traumatic syrinx after intrathecal catheter implantation, 316(letter), 317(letter)
unilateral tremor after axillary brachial plexus block, 308(letter)
Computed tomography
guidance, for sacroiliac joint injection, 295
in modified approach to transcrural celiac plexus block, 303
Continuous nerve blocks
catheter technique, for posterior lumbar plexus block, 143
for combat anesthesia, 202
epidural analgesia, for colonic surgery, 140
femoral, with sciatic block for knee arthroplasty, 128
interscalene
joint range of motion after shoulder arthroplasty and, 429
subacromial *vs.* interscalene ropivacaine for postoperative analgesia, 117
intra-articular infusion, bupivacaine toxicity from, 414(letter)
joint range of motion after total shoulder arthroplasty, 429
sciatic nerve block, for total-knee arthroplasty, 411(letter), 412(letter)
Cost-effectiveness, of bupivacaine plus fentanyl *vs.* ropivacaine for PCEA, 446
COX-2 selective inhibitor, reduction of tactile allodynia development after spinal nerve injury, 351
CUN system, for localization of femoral nerve, 473

Day surgery. *See* Outpatient surgery
Degenerative disc disease, lumbar discography for, 163
Diagnostic blocks, single-needle *vs.* multiple-needle for facet-joint medial branch block, 484
Difficult patients, dealing with, 184
Discogenic pain, lumbar discography for, 163
Discography, lumbar, 163
Doctor-patient relationship, dealing with difficult patients, 184
Documentation, development of form for peripheral nerve block procedure, 67
Double-injection peribulbar anesthesia, *vs.* medial canthus single-injection peribulbar anesthesia, 255
Double-stimulation technique
for intraclavicular brachial plexus block, resident *vs.* staff anesthesiologist performance of, 233
vs. other nerve stimulation techniques, 324
Doxepin, N-propyl derivative differential block for sciatic nerve, 344
Drug errors
colored syringes to reduce incidence of syringe swap, 310(letter), 589(letter), 590(letter)
reduction, labeling as tool for, 311(letter)
Dural puncture, from intrathecal catheter adapter disconnection, 591(letter)

Economic factors
in acute pain management, 286
bupivacaine plus fentanyl *vs.* ropivacaine for PCEA, 446
Elderly patients, postoperative analgesia management in, 363
Emesis, anesthetic techniques with lowest incidence after strabismus surgery, 43
Epidural analgesia
caudal approach, 593(letter)
continuous, for colonic surgery, 140
morphine
PCA and continuous femoral nerve sheath block, 452
postpartum use of oral pain medication and, 134
vs. continuous psoas compartment block, 15
Epidural anesthesia
hypotensive, early recovery of cognitive function after hip replacement, 123
neuraxial block-associated hypotension, with HIIC, 313(letter)
Epidural catheter
entrapment caused by double knot after combined spinal-epidural anesthesia, 588(letter)(letter)
inadvertent subdural placement, x14(letter)
placement complications, massive subdural anesthesia, 299
Epidural infection, *Actinetobacter*, unusual presentation of, 577
Epidural space, anatomy of, 56

Epinephrine, choice and dosing for lower-extremity peripheral nerve blocks, 21
Episcleral blocks, for eye surgery, 72
European Society of Regional Anaesthesia & Pain Therapy, XXIV Annual Congress, Berlin 2005, S1:1
Evaluation of patient, after lower-extremity peripheral nerve block, 21
Evidence-based practice, transforaminal epidural corticosteroid injection, 206(letter)
Extradural injection, accidental, causing massive subdural anesthesia, 299
Extrapleural analgesia, long-term ropivacaine for, 356
Eye surgery, regional anesthesia for, 72

Facet joint medial branch block, single-needle *vs.* multiple-needle technique for, 484
Fascia iliacus block
  continuous, 14
  description of, 13
  vs. femoral nerve block, 15
Fasicular injury, high-injection pressure, intraneural injection and, 308(letter), 309(letter)
Fatigue, postoperative pain severity and quality of recovery, 516
Fellowship training, in regional anesthesia, 215
  guidelines for, 218
  RA fellows careers from 1983-2002, 215, 218
Femoral nerve block
  anatomy, 5
  complications, 413(letter)
  continuous, 12
    functional recovery after total-knee replacement, 434
    with IV morphine PCA and continuous epidural analgesia, 452
    value of adding sciatic block for knee replacement, 128
    vs. continuous psoas compartment block, 15
  description of, 12
  3-in-1, description of, 12
  localization of femoral nerve using acupuncture points, 473
  nerve stimulation, ultrasound guidance for, 20
  vs. fascia iliacus block, 15
  vs. psoas compartment block, 14
Fentanyl
  with bupivacaine, *vs.* ropivacaine for PCEA, 446
  with hyperbaric ropivacaine for day-surgery, 48
Fentanyl-propofol, decreased postoperative emesis incidence after pediatric strabismus surgery, 43
Fluoroscopy guidance, for modified transcrural celiac plexus block, 303
Foot surgery, subcutaneous infiltration *vs.* popliteal fossa block, 19
Formalin test, effect of naloxone on stress-induced analgesia after hemorrhagic shock, 339

Gender, efficacy of inter-articular morphine after knee arthroscopy, 83
Gutierrez, Alberto, development of hanging drop technique, 387

Hanging drop technique, development of, 387
Hemidiaphragm, vertical infraclavicular brachial plexus block effects on, 529
Hemorrhagic complications, lower-extremity peripheral nerve blocks, 21
Hemorrhagic shock, effects of naloxone on, stress-induced analgesia, 339
Hiccups, persistent, after interscalene brachial plexus block, 574
Histopathology, neurotoxicity of intrathecal bupivacaine *vs.* lidocaine, 464
Hostility, dealing with difficult patients and, 184
Human errors, wrong-site peripheral nerve blocks, 99
Hyperbaric local anesthetic, effect of fentanyl addition to ropivacaine for day-surgery, 48
Hypotension, massive subdural anesthesia from epidural catheter placement, 299
Hypotensive epidural anesthesia, early recovery of cognitive function after hip replacement, 123

Imaging aids, for nerve localization, 20
Infection
  epidural *Actinetobacter*, unusual presentation of, 577
  lower-extremity peripheral nerve blocks, 21
Infraclavicular block, lateral sagittal, MRI evaluation of, 329
Infraorbital nerve block, for transphenoidal hypophysectomy, 572
Injectionists, 115(letter), 211(letter)
Injection pressure, and intraneural injection, fasicular injury and neurologic deficits in dogs, 308(letter), 309(letter)
Inter-articular injections, morphine, efficacy after knee arthroscopy, 83
Internal disc disruption, lumbar discography and, 163
Interscalene nerve block
  joint range of motion after total shoulder arthroplasty, 429
  persistent hiccups after, 574
Intersternocleidomastoid brachial plexus block, correct needle direction, 596(letter)
Intervertebral disc, lumbar discography and, 163
Intraclavicular brachial plexus block, double-stimulation technique, resident *vs.* staff anesthesiologist performance, 233
Intraneural injection, and high-injection pressure, fasicular injury and neurologic deficits in dogs, 308(letter), 309(letter)
Intrathecal anesthesia
  catheter adapter disconnection, accidental dural puncture from, 591(letter)
  catheter implantation, traumatic syrinx after, 316(letter), 317(letter)
  massive suspected subdural anesthesia and, 505(letter), 506(letter)
Intravenous regional anesthesia, of lower extremity, 18
Ion channels
  peripheral block of hyperpolarization activated cation current reduces mechanical allodynia, 243
  two-pore domain potassium, local anesthetics and, 260, 513

Iontophoresis, application in pain medicine, 292
Ischemic hand surgery, stellate ganglion block for, 405

John J. Bonica Award, 2003 recipient of, 55
Joint range of motion, after total shoulder arthroplasty with/without interscalene nerve block, 429

Knee arthroplasty. *See* Total-knee arthroplasty
Knee arthroscopy, inter-articular morphine efficacy after, 83

Labeling, to reduce drug error, 311(letter)
Lateral femoral cutaneous nerve, anatomy, 7
Laterality errors, in peripheral nerve block, 99
Leeds Assessment of Neuropathic Symptoms and Signs Pain Scale, identifying neuropathic pain in low-back pain, 422
Levobupivacaine, acute toxicity, 553
LFC nerve block, description of, 14
Lidocaine neurotoxicity, *vs.* intrathecal bupivacaine, 464
Liposomal drug delivery
  for extended-duration analgesia, 275
  for postoperative pain, 491
Local anesthetics. *See also specific local anesthetics*
  K_{2p} channels and, 260, 513
  lidocaine neurotoxicity *vs.* intrathecal bupivacaine, 464
  maximum recommended doses, 314(letter)
  minimum effective dose, for spinal anesthesia, 36
  for postoperative analgesia in elderly patients, 363
  toxicity
    from continuous intra-articular infusion of bupivacaine, 414(letter)
    scavenging nanoparticles for, 380
Localization techniques. *See also* Nerve stimulation techniques
  comparison of, 19
  of femoral nerve using acupuncture points, 473
  for lumbar plexus, 143
  of radial nerve for axillary brachial plexus block, 458
  ultrasound-guided musculocutaneous nerve block, 198
Low-back pain
  identifying neuropathic pain in, 422
  from sacroiliac joint dysfunction, radiofrequency ablation for, 335
  single-needle *vs.* multiple-needle technique for facet-joint medial branch block, 484
Lower-extremity nerve blocks
  anatomy, 5
  approaches for, 10
  intravenous regional anesthesia for, 18
  local anesthetic choices and dosing, 21
Lumbar discography, outcome, diagnostic accuracy and principles, 163
Lumbar plexus block
  anatomy, 4, 143
  approaches
    anterior, 150
    comparison/description of, 14, 150
    posterior, techniques for, 143, 150
  continuous, 150
    posterior, functional recovery after total-knee replacement, 434
    vs. single-injection method, 541
  early recovery of cognitive function after total-hip replacement, 123
  indications for, 150
  localization methods, 143
  of psoas compartment, injectate spread in, 567
  risks/complications, 150

Magnetic resonance imaging
  of injectate spread in psoas compartment block, 567
  of lateral sagittal infraclavicular block, 329
Mechanism of action for local anesthetics, K_{2p} channels and, 260, 513
Medial canthus single-injection peribulbar anesthesia, *vs.* double-injection peribulbar anesthesia, 255
Median nerve block, sensory-nerve and motor-nerve stimulation techniques for, 536
Median-nerve stimulation, *vs.* other nerve stimulation techniques, 324
Medical education
  fellowship training in regional anesthesia, 215, 218
  structured clinical instruction on perioperative pain management, 523
Medical record, peripheral nerve block procedure note form development, 67
Meloxicam, reduction of tactile allodynia development after spinal nerve injury, 351
Meperidine-propofol, emesis incidence after pediatric strabismus surgery, 43
Mepivacaine, MRI of lateral sagittal infraclavicular block, 329
Methylprednisolone
  added to local anesthetic, axillary block duration and, 114(letter)
  with Bier block for CRPS, 409(letter), 410(letter)
Microspheres, for extended-duration analgesia, 275
Military anesthesia, continuous peripheral nerve block for, 202
Mobilization, addition of fentanyl to hyperbaric ropivacaine for day-surgery, 48
Morphine
  continuous lumbar plexus block *vs.* single-injection block for knee arthroplasty, 541
  epidural, decreased postpartum use of oral pain medication, 134
  inter-articular, efficacy after knee arthroscopy, 83
  IV PCA, with continuous epidural analgesia and femoral nerve block, 452
  for postoperative analgesia in elderly patients, 363
Motor-nerve stimulation techniques, for median nerve block, 536
Multiple-stimulation techniques, *vs.* single-stimulation techniques, 20
Musculocutaneous nerve block, ultrasound guidance, 198, 385

Naloxone, effect on stress-induced analgesia after hemorrhagic shock, 339

Nanoparticles, for local anesthetic toxicity, 380
Nausea, postoperative pain severity and quality of recovery, 516
Needle
  correct direction for intersternocleidomastoid brachial plexus block, 595(letter)
  tip visibility, improving for ultrasound guidance, 596(letter), 597(letter)
Needle blocks, for eye surgery, 72
Nefopam, for postoperative analgesia in elderly patients, 363
Nerve stimulation techniques
  clinical efficacy of posterior brachial plexus block, 238
  comparison of techniques, 324
  double- technique for intraclavicular brachial plexus block, resident *vs.* staff anesthesiologist performance, 233
  for lateral sagittal infraclavicular block, 329
  for median nerve block, 536
  parasacral sciatic nerve block, prospective study of, 193
  vs. paresthesia techniques for lower-extremity PNBs, 19
Neurologic deficits
  high-injection pressure, intraneural injection and, 308(letter), 309(letter)
  from lower-extremity peripheral nerve blocks, 21
Neuromuscular blocking agent, unintentional injection during axillary nerve block, 104
Neuropathic pain
  efficacy of COX-2 inhibitor for, 351
  identifying in low-back pain, 422
  peripheral block of I_h reduces mechanical allodynia, 243
Neuropathic pain scales, description of, 417, 422
Neurotoxicity, of intrathecal lidocaine *vs.* intrathecal bupivacaine, 464
NSAIDs, for postoperative analgesia in elderly patients, 363

Objective structured clinical examination, evaluation of regional anesthesia clinical instruction, 523
Obturator nerve block, description of, 6, 14
Opioid receptors, efficacy of inter-articular morphine after knee arthroscopy and, 83
Opioids
  choice and dosing for lower-extremity peripheral nerve blocks, 21
  intrathecal *vs.* intravenous potency for postoperative analgesia, 249
  for postoperative analgesia in elderly patients, 363
Outpatient surgery
  minimum effective dose of 2-CP for spinal anesthesia, 36
  spinal hyperbaric ropivacaine-fentanyl for, 48

Pain medicine specialists, 115(letter), 211(letter)
Paracetamol, for postoperative analgesia in elderly patients, 363
Parasacral nerve block
  continuous, 15
  of sciatic nerve, prospective study of, 193
  vs. classic sciatic nerve block, 18
Paresthesia techniques, for lower-extremity PNBs *vs.* nerve stimulation, 19
Patient-controlled analgesia (PCA)
  for acute pain, 286
  epidural
    economic evaluation of bupivacaine plus fentanyl *vs.* ropivacaine for, 446
    IV morphine PCA and continuous femoral nerve sheath block, 452
  postoperative, for elderly patients, 363
  subacromial *vs.* interscalene for postoperative analgesia, 117
PCEA. *See* Patient-controlled analgesia, epidural
Pediatric patients. *See* Children
Peribulbar anesthesia
  for eye surgery, 72
  medial canthus single-injection *vs.* double-injection method, 255
Perilimbal anesthesia, for eye surgery, 72
Perioperative complications, unintentional injection of neuromuscular blocking agent during axillary nerve block, 104
Perioperative pain management
  structured clinical instruction on, 523
  subtenon bupivacaine for pediatric strabismus surgery, 478
Peripheral nerve blocks. *See also specific nerve blocks*
  continuous, for combat anesthesia, 202
  of hyperpolarization-activated cation current reduces mechanical allodynia, 243
  phantom, for ultrasound-guided hands-on practice, 593(letter)
  prevention of laterality errors, 99
  procedure note form, development of, 67
  ultrasound imaging for, 321
  unintentional neuromuscular blocking agent injection during, 104
Periradicular injections in middle to lower cervical spine, ultrasound guidance for, 391
Peroneal nerve, anatomy of, 9
Pharmacodynamics
  of acute toxicity of local anesthetics, 553
  postoperative analgesia for elderly patients and, 363
Pharmacokinetics
  of acute toxicity of local anesthetics, 553
  long-term extrapleural ropivacaine analgesia for postthoracotomy pain, 356
  postoperative analgesia for elderly patients and, 363
Physical therapy, joint range of motion after total shoulder arthroplasty, 429
Plasma binding, long-term extrapleural ropivacaine analgesia for postthoracotomy pain and, 356
Postdural puncture headache, terminology, 317(letter), 318(letter)
Posterior femoral cutaneous nerve, anatomy of, 10
Posterior paravertebral approach, for brachial plexus block, clinical efficacy of, 238

Postoperative analgesia
after transphenoidal hypophysectomy, infraorbital nerve block for, 572
continuous epidural, for colonic surgery, 140
continuous lumbar plexus block *vs.* single-injection method, 541
for elderly patients, 363
infraorbital nerve block for transphenoidal hypophysectomy, 572
joint range of motion after total shoulder arthroplasty, 429
subacromial *vs.* interscalene continuous infusion of ropivacaine, 117
sufentanil intrathecal *vs.* intravenous potency, 249
value of adding sciatic block to continuous femoral block, 128
Postoperative complications, anesthetic techniques with lowest incidence, for pediatric strabismus surgery, 43
Postoperative pain
after knee arthroscopy, efficacy of inter-articular morphine for, 83
liposomal drug delivery for, 491
peripheral block of I_h reduces mechanical allodynia, 243
severity, quality of recovery and, 516
Postpartum pain, epidural morphine decreased use of oral pain medication, 134
Postthoracotomy pain, long-term extrapleural ropivacaine analgesia for, 356
Potassium channels, two-pore domain, local anesthetics and, 260, 513
Potassium two-pore domain ion channels, local anesthetics and, 260, 513
Procedure note form development, for peripheral nerve block, 67
Propofol sedation for total-hip replacement, early recovery of cognitive function after, 123
Psoas compartment block
complications, 413(letter)
continuous, 10
vs. continuous femoral blocks, 15
vs. epidural analgesia, 15
description of, 10
functional recovery after total-knee replacement, 434
injectate spread, magnetic resonance imaging of, 567
posterior lumbar plexus block and, 143
vs. femoral nerve block, 14
Psychiatric comorbidity, dealing with difficult patients and, 184

QTc interval, spinal anesthesia influence on, 548
Quality of recovery, postoperative pain severity and, 516
Quality pain management
technology and, 286
Veterans Administration-National Quality Improvement Program, 311(letter), 312(letter)

Radial nerve stimulation
for axillary brachial plexus block, 458
vs. other nerve stimulation techniques, 324
Radical retropubic prostatectomy, postoperative pain severity and quality of recovery, 516
Radiofrequency ablation, for sacroiliac joint dysfunction, 335
Redirection cues, for lower-extremity nerve localization, 19
Resident, *vs.* staff anesthesiologist performance, double-stimulation technique for intraclavicular brachial plexus block, 233
Respiratory arrest, massive subdural anesthesia from epidural catheter placement, 299
Retrobulbar anesthesia, for eye surgery, 72
Ropivacaine
acute toxicity, 553
hyperbaric, effect of fentanyl addition for day-surgery, 48
lateral sagittal infraclavicular block, magnetic resonance imaging, 329
for long-term extrapleural analgesia after thoracotomy, 356
propyl group, sensory selectivity and, 344
vertical infraclavicular brachial plexus block effects on ventilatory function, 529
vs. bupivacaine with fentanyl for PCEA, 446
Rotator cuff repair analgesia, subacromial *vs.* interscalene continuous infusion of ropivacaine, 117

Sacral plexus nerve blocks
anatomy for, 8
comparison of approaches for, 18
description of, 15
parasacral, prospective study of, 193
Sacroiliac joint dysfunction, bipolar radiofrequency ablation for, 335
Sacroiliac joint injection, under computed tomography guidance, 295
Saphenous nerve block, description of, 14
Sciatic nerve block
anatomy for, 8
continuous
for total-knee arthroplasty, 411(letter), 412(letter)
vs. other approaches, 17
with continuous femoral, functional recovery after total-knee replacement, 434
differential with amitriptyline and doxepine derivatives, 344
at gluteus maximus level, 16, 18
parasacral approach, 193
at popliteal fossa level, 17
posterior *vs.* lateral approaches to, 19
vs. block at gluteus maximus level, 18
vs. subcutaneous infiltration after foot surgery, 19
subgluteal approaches to, 16
for total-knee replacement, 410(letter)
value of adding to continuous femoral block, for total knee replacement, 128
Sensory impairment, from intrathecal bupivacaine *vs.* lidocaine, 464
Sensory-nerve stimulation techniques, for median nerve block, 536

Shoulder surgery
efficacy of posterior brachial plexus block for, 238
with/without interscalene nerve block, joint range of motion after, 429
Single-injection technique, clinical efficacy of posterior brachial plexus block, 238
Site verification, in preventing laterality errors in peripheral nerve block, 99
Spinal analgesia
opioid *vs.* intravenous potency for postoperative analgesia, 249
unilateral block, failure with addition of morphine, 596(letter)
Spinal anesthesia
bacterial meningitis after spinal anesthesia, 210(letter)
hyperbaric ropivacaine-fentanyl *vs.* hyperbaric ropivacaine, 48
influence on corrected QT interval, 548
minimum effective dose, for 2-chloroprocaine, 36
Spinal nerve injury, tactile allodynia development, systemic meloxicam for, 351
Stellate ganglion block, for ischemic hand caused by extravasation of vasopressors, 405
Stimulating catheter, value of adding sciatic block to continuous femoral block for total knee replacement, 128
Strabismus surgery
anesthetic techniques with lowest incidence of postoperative emesis, 43
subtenon anesthesia in, 478
Stress-induced analgesia, after hemorrhagic shock, effects of naloxone on, 339
Subarachnoid fentanyl, and hyperbaric ropivacaine, 48
Subconjunctival anesthesia, for eye surgery, 72
Subdural anesthesia, massive
rapid onset of, 299
suspected case of, 505(letter), 506(letter)
Subdural block, inadvertent, 299, 592(letter)
Substance abuse, dealing with difficult patients and, 184
Subtenon anesthesia, in pediatric strabismus surgery, 478
Sub-tenon's block, for eye surgery, 72
Sufentanil, intrathecal potency *vs.* intravenous for postoperative analgesia, 249
Suicidal behavior, dealing with difficult patients and, 184
Sural nerve, anatomy of, 10
Syringe swaps, color-coded syringes to reduce incidence of, 310(letter), 589(letter), 590(letter)
Systematic review, of inter-articular morphine efficacy after knee arthroscopy, 83

Tactile allodynia development, after spinal nerve injury, systemic meloxicam for, 351
Technology, impact on analgesic gap and quality of acute pain management, 286
Tibial nerve, anatomy of, 8
Topical anesthesia, for eye surgery, 72
Total-hip arthroplasty
early recovery of cognitive function after hypotensive epidural anesthesia, 123
lumbar plexus block for, 150
PCA IV morphine, continuous epidural analgesia and femoral nerve block for, 452
sufentanil intrathecal *vs.* intravenous potency for postoperative analgesia, 249
Total-knee arthroplasty
continuous nerve blocks
bupivacaine toxicity from intra-articular infusion, 414(letter)
femoral, value of adding sciatic block, 128
lumbar plexus *vs.* single-injection, 541
sciatic nerve, 411(letter), 412(letter)
economic evaluation of bupivacaine plus fentanyl *vs.* ropivacaine for PCEA, 446
functional recovery after, 434
lumbar plexus block for, 150
sciatic nerve block for, 410(letter)
Total-shoulder arthroplasty, with/without interscalene nerve block, joint range of motion after, 429
Toxicity of local anesthetics
acute, 553
K_{2p} channels and, 260, 513
maximum recommended doses, 314(letter)
Tramadol, for postoperative analgesia in elderly patients, 363
Transcrural celiac plexus block, modified approach to, 303
Transdermal iontophoretic drug delivery, for pain management, 292
Transducer angle, ultrasound visibility of femoral nerve and, 505(letter)
Transforaminal injections
epidural corticosteroid, 206(letter)
precautionary measures, 207(letter), 208(letter), 209(letter)
Transphenoidal hypophysectomy, infraorbital nerve block for, 572
Traumatic syrinx, after intrathecal catheter implantation, 316(letter), 317(letter)
Tremor, unilateral, after axillary brachial plexus block, 308(letter)
Triple-nerve stimulation technique
proximal *vs.* distal radial motor responses in axillary block, 458
vs. other nerve stimulation techniques, 324

Ultrasonography
guidance
improving needle-tip visibility for, 597(letter), 598(letter)
of musculocutaneous nerve block, 198
for nerve stimulation, 20
of periradicular injections in middle to lower cervical spine, 391
transducer angle importance in femoral nerve visibility for, 505(letter)
of musculocutaneous nerve, 385
of peripheral nerves, 321
phantom, for hands-on practice, 593(letter)
Undertreatment, of acute pain, 286
Universal protocol, for preventing wrong site, wrong procedure and wrong person surgery, 103

Vasopressor ischemic hand extravasation, stellate ganglion block for, 405
Ventilatory function, vertical infraclavicular brachial plexus block effects on, 529
Vertical infraclavicular brachial plexus block, effects on hemidiaphragmatic movement and ventilatory function, 529
Veterans Administration-National Quality Improvement Program, 311(letter), 312(letter)
Vomiting, anesthetic techniques with lowest incidence after strabismus surgery, 43

Wrist nerve blocks, sensory-nerve and motor-nerve stimulation techniques for, 536

Zygapophyseal joint medial branch block, single-needle *vs.* multiple-needle technique for, 484

Regional Anesthesia and Pain Medicine 30(6): 608–610, 2005

Author Index: Volume 30, 2005

Abbas, Sherif, 593 (letter)
Ackerman, William E., III, 211 (letter)
Ahmad, Mahmood, 211 (letter)
Aldrete, J. Antonio, 397
Al-Nasser, Bassam, 311 (letter)
Al-Tabbaa, Amer, 311 (letter)
Alvarez, Julián, 324
Amundsen, Laurie B., 574
Angeli, Charles, 115 (letter)
Asehnoune, Karim, 233
Athmaja, Thottungal R., 577
Auad, Osvaldo A., 397
Aubrun, Frédéric, 363
Awad, Imad T., 143, 321

Baker, Jeff D., 583
Balestrieri, Philip J., 505 (letter)
Bárcena, María, 324
Barna, Steven A., 163
Barrett, Jack, 567
Beach, Mike L., 198
Beckman, James D., 218, 226
Belhage, Bo, 329
Benhamou, Dan, 233, 255
Benzon, Honorio T., 209 (letter), 417
Bereder, Jean Marc, 313 (letter)
Bernard, Jean Louis, 313 (letter)
Bernards, Christopher M., 56, 318 (letter)
Bleckner, Lisa L., 202
Block, Brian M., 295
Bodner, Gerd, 391
Boersma, Eric, 529
Boezaart, André P., 413 (letter)
Brown, David L., 215
Buckenmaier, Chester C. III, 202, 413 (letter)
Bussink, Michiel, 210 (letter)

Calache, Elie, 478
Capdevila, Xavier, 150, 536
Carli, Franco, 140
Carr, Daniel B., 286
Chan, Vincent, 4, 321, 593 (letter)
Chassery, Clément, 233
Chatzieleftheriou, Athanasios, 588 (letter)
Chaumeron, Arnaud, 72
Chhabra, Anjolie, 43
Chiles, John H., 202
Choquet, Olivier, 150, 536
Cohen, Shaul, 591 (letter)
Cohen, Steven P., 163, 484
Coimbra, Claudia, 150
Colclough, George W., 317 (letter)
Copeland, Susan E., 553
Courpas, Geneviev E., 516
Cuvillon, Philippe, 193

Dalle, Carine, 243
Dang, Charles Pham, 128, 412 (letter), 595 (letter)
Davies, Joanna M., 574
Dayton, Michael R., 414 (letter)
de la Chapelle, Arnaud, 313 (letter)
Delaunay, Laurent, 117
Delbos, Alain, 410 (letter)
Del Río, Sabela, 324
Dennis, Donn M., 380
Deruddre, Stéphane, 255
Dey, Dennis, 484
Di Marco, Pietro, 458
Dinges, Gerhard, 434
Djalali, Alimorad G., 344
Doni, Lorenzo, 458
Donnelly, Michael B., 523
Drachenberg, Ana M., 134
Duggan, Edel M., 143
Dupeyron, Jean-Pierre, 478

Eberhart, Leopold H. J., 434
Edmonds, Chris R., 99
Eisenach, James C., 243
Eisenhardt, Gudrun, 434
Eledjam, Jean-Jacques, 193
El-Yaski, Ahmed Zaki, 422
Enneking, F. Kayser, 4, 380, 429, 580

Fernandez, Modesto, 128
Ferrant, Tanguy, 452
Finlayson, Roderick J., 405
Finucane, Brendan, 597 (letter)
Fischer, Gabriel, 123
Fleisher, Lee A., 312 (letter), 516
Flynn, Erin, 123
Fourcade, Olivier, 233
Fournier, Roxane, 249
Franckhauser, Jacqueline, 478
Freund, Martin Cornelius, 391
Frey, Dietmar J. M., 356
Fukuda, Taeko, 339
Furuya, Hitoshi, 351
Fuzier, Régis, 104

Gabopoulou, Zoi, 588 (letter)
Gaertner, Elisabeth, 193
Galiano, Klaus, 391
Gamulin, Zdravko, 249
Gautheron, Etienne, 128
Geldner, Götz, 434
Gentili, Marc E., 593 (letter), 596 (letter)
Gerancher, J. C., 67
Gerner, Peter, 344
Gielen, Mathieu J.M., 529
Go, George, 123
Goodman, Evan, 114 (letter)
Goodman, Stephanie R., 134
Gorback, Michael S., 316 (letter)
Goss, Selena, 123
Grabow, Theodore S., 295
Gramke, Hans-Fritz, 210 (letter)
Grant, Stuart A., 67, 541
Gray, Andrew T., 385, 505 (letter), 597 (letter)
Greger, Jenny, 4
Gris, Claude, 233
Gritti, Gaetano, 458
Groen, Gerbrand J., 529
Gruber, Hannes, 391
Guilley, Jérôme, 128
Gupta, Surbhi, 43
Gurkan, Yavuz, 329
Gutierrez, Vincente P., 397

Hadziç, Admir, 4, 67, 113, 309 (letter)
Hanna, Marie N., 523
Hargett, Mary J., 218, 226
Harney, Donal, 206 (letter), 317 (letter)
Harrington, Brian, 318 (letter)
Hata, J. Steven, 473
Hebl, James R., 67
Hecht, Andrew C., 163
Heider, Elke, 434
Henszel, Angela, 473
Hesselberg, Lars, 329
Hirabayashi, Yoshihiro, 310 (letter)
Hiruma, Hiroma, 464
Hobelmann, J. Gregory, 295
Hoeft, Mark A., 335, 414 (letter)
Hofsess, Craig, 335
Hoka, Sumio, 464
Homer, J. Rachel, 574
Hord, E. Daniela, 484
Horlocker, Terese T., 4
Howe, James G., 414 (letter)
Huntoon, Marc A., 208 (letter), 590 (letter)
Hurdle, Mark F.B., 590 (letter)
Hussain, Mahammad, 411 (letter)

Ilfeld, Brian M., 67, 429
Immark, Pattada, 446
Incavo, Stephen J., 414 (letter)
Iohom, Gabriella, 238
Isaacson, Sheldon A., 114 (letter)

Jack, Nigel T.M., 594 (letter)
Jamison, Robert N., 184
Jochum, Denis, 536
Johnson, Sally A., 134
Joris, Daniel, 452

Kaki, Abdullah M., 422
Kalish, Murray A., 516
Kallio, Helena, 48
Kallmeyer, Ian, 311 (letter)
Karcenty, Alain, 478
Kawaguchi, Masahiko, 351
Kawakami, Tadashi, 464
Kawecka, Aleksandra, 548
Kehlet, Henrik, 140
Kelly, Denis, 567
Khandelwal, Mamta, 43
Kim-Lo, Susan H., 134
Kindler, Christoph H., 260
Klein, Jan, 529
Klein, Stephen M., 202
Komoltri, Chulaluk, 446
Konstandinidou, Marianthi, 588 (letter)
Kopacz, Dan J., 36, 226, 275
Koscielniak-Nielsen, Zbigniew J., 329
Kratz, Caroline D., 434

Ladd, Leigh A., 553
Lafosse, Laurent, 117
Lam, Nicholas, 411 (letter)
Lande, Stephen, 286
Lang, Scott, A., 4
Larkin, Thomas M., 163
Lasek, Jerzy, 548
Lawlis, John F., III, 414 (letter)
Lebrun, Thierry, 238
Lee, Peter, 414 (letter)
Lepri, Antonella, 458
Levesque, Simon, 410 (letter)
Liguori, Gregory A., 67, 99, 218, 226
Limonds, Chris R., 99
Lipman, Zachary J., 114 (letter)
Livonen, Mauri K., 48
Luo, Shi Hua, 344
Lyons, Robert C., 202

Macaire, Philippe, 536
Magherini, Manuela, 458
Malisse, Marie F., 452
Mannion, Stephen, 567
Marcus, Marco, 210 (letter)
Marret, Emmanuel, 117, 593 (letter)
Martin, David P., 208 (letter)
Mather, Laurence C., 553
Maurer, Herbert, 391
Mavrommati, P., 588 (letter)
Mazoit, Jean X., 593 (letter)
McAdam, Dugald, 572
McCartney, Colin J., 67
McKnight, Geselle M., 202
McLintock, Traven C., 541
Meyer, Maik, 356
Minville, Vincent, 233
Mitra, Dalia, 541
Montcomery, Christopher L., 523
Morey, Timothy E., 380, 429
Morin, Astrid M., 434
Muangman, Saipin, 446
Mulroy, Michael F., 513
Munro, Kenji, 572
Murase, Setsuko, 464
Murphy, Damian, 567
Murphy, Kieran J., 295
Myers, Robert R., 344

Nakashima, Toshikatsu, 351
Neal, Joseph M., 218, 226, 275, 318 (letter)
Negron, Maria A., 134
Nguyen, Jean Michel, 128
N'Guyen, Luc, 233
Nishimoto, Chikako, 339
Nouvellon, Emmanuel, 72, 193

Obwegeser, Alois Albert, 391
Oraee, Saeed, 303
Owczuk, Radoslaw, 548

Palmer, William E., 163
Pandey, Rashmi, 43
Partch, Richard, 380
Partin, Alan W., 516
Patel, Vikram, 207 (letter)
Péronnet, Denis, 115 (letter)
Pérus, Olivier, 313 (letter)
Pinaud, Michel, 128
Pino, Carlos A., 335
Pitimana-aree, Siriporn, 446
Ploner, Franz, 391
Pokki, Juha-Pekka, 48
Polin, Bruno, 238
Polomano, Rosemary C., 286
Puangchan, Supranee, 446

Raghavendra, Meda, 207 (letter)
Rasmussen, Henrik, 329
Rathmell, James P., 209 (letter), 335, 414 (letter)
Raucoules-Aimé, Marc, 313 (letter)
Reines, H. David, 286
Renehan, Elizabeth M., 380
Rettig, Harald C., 529
Reynolds, Felicity, 314 (letter)
Ripart, Jacques, 72, 193
Rivoire, B., 115 (letter)
Rodríguez, Jaime, 324
Rose, Julie S., 275
Rosenberg, Per H., 48
Rosenquist, Richard W., 55, 413 (letter)
Rosseland, Leiv Arne, 83
Rowlingson, Andrew J., 312 (letter), 516
Rupp, Stephen M., 589 (letter)

Sadagdai, Saravanavel, 589 (letter)
Sakr, Ashraf, 591 (letter)
Salinas, Francis V., 581
Salvati, Eduardo A., 123
Samii, Kamran, 233
Sandefo, Ignace, 238, 591 (letter)
Sanders, Graeme M., 577
Sawicka, Wioletta, 548
Schaffer, Jonathan, 286
Schafhalter-Zoppoth, Ingeborg, 385, 505 (letter), 597 (letter)
Schatzer, Reinhold, 391
Scholz, Guido, 356
Schultz-Stübner, Sebastian, 473
Schwartz, Nadine, 434
Sciard, Didier, 411 (letter)
Sculco, Thomas P., 123
Selander, Dag E., 308 (letter)
Seo, Norimasa, 310
Shaikhan, Jehad, 206 (letter)
Shannon, Clarence, 202
Sharrock, Nigel, E., 123
Shimada, Keiji, 351
Shorten, George D., 567
Sia, Salvatore, 458
Siauw, Poo Tik, 356
Singelyn, François J., 104, 452
Sites, Brian D., 198
Sloan, Paul A., 523
Smiley, Richard M., 134
Snäll, Eljas-Veli T., 48
Soong, Julie, 505 (letter)
Soubielle, Jérôme, 313 (letter)
Souron, Vincent, 117
Speeg-Schatz, Claude, 478
Spence, Brian C., 198
Srinivasa, Venkatesh, 311 (letter)
Stan, Thomas, 114 (letter)
Stanton, Maureen A., 99
Steib, Annick, 478
Stevens, Donald S., 409 (letter)
Stojanovic, Milan P., 163, 484
Striker, Paul, 591 (letter)
Subramaniam, Rajeshwari, 43
Sundaram, Lakshman, 113
Suresh, Santhanam, 572

Suvanto, Sami J., 48
Szkodny, Nancy, 591 (letter)

Taboada, Manuel, 324
Takahashi, Masahiro, 351
Takenami, Tamie, 464
Taskaynatan, Mehmet Ali, 410 (letter)
Tetzlaff, John E., 509
Tiviraj, Supinya, 446
Toussaint, Bruno, 117
Toyooka, Hidenori, 339
Tran, De Q. H., 405
Travers, Vincent, 536
Tsui, Ban C.H., 592 (letter), 596 (letter)
Tuomas, Carl A., 48

Umakanth, P., 589 (letter)

Van Elstraete, Alain, 238
Van Kleef, Maarten, 206 (letter), 210 (letter)
Van Zundert, Jan, 206 (letter)
Varshney, Manoj, 380
Velmachou, Kyriaki, 588 (letter)
Visalyaputra, Shusee, 446
Viscusi, Eugene R., 67, 292, 491
Volteau, Christelle, 128
Vrettou, Vassiliki, 588 (letter)

Waast, Denis, 128
Walsh, Patrick C., 516
Wang, Ging Kuo, 344
Wasan, Ajay D., 184
Watson, Martin W., 541
Weber, Anne, 249
Weingarten, Toby N., 590 (letter)
Williams, Brian A., 67
Willis, John, 506 (letter)
Wills, John H., 299
Winkley, James V., 202
Witkowski, Thomas A., 292
Wootton, Joshua, 184
Wright, A. J., 397
Wright, Thomas W., 429
Wu, Christopher L., 312 (letter), 516
Wujtewicz, Magdalena A., 548
Wujtewicz, Maria, 548
Wulf, Hinnerk, 434

Xu, Daquan, 593 (letter)

Yagishita, Saburo, 464
Yang, Ian Y., 303
Yost, C. Spencer, 260
Youseif, Ehab, 422

Zeidan, Ahed M., 308 (letter)
Zhou, Yili, 484
Zhuang, Zhi-Ye, 344
Zizza, Anthony M., 344